



ERA 1530 & 1730 BS8621:2004 Auto Deadlocking Escape Nightlatch



Description

The conflict between a secure British Standard accredited front door lock and fire safety recommendations has now been overcome thanks to the new Keyless Egress Range.

The new BS 8621:2004 standard mirrors the BS 3621:2004 but is for 'escape' locks. The locks are classified as providing keyless egress at all times. This applies where there is a requirement for an easy action method of opening an external door from the inside with no need for keys or similar devices for unlocking - specially relevant for entrance doors in multi-residential and other buildings. A keyless lever on the inside of the door ensures it is possible to make an emergency escape in the event of a fire.



Complies to BS
EN 8621



Keyed To Differ



Call For Key
Cutting Services



Neighborhood
Watch Approval



Secured by
Design Approved



Call For
Workshop
Services

Features

- BS8621:2004
- Ensures an easy exit in the event of a fire
- Especially relevant for entrance doors in multi-residential and other buildings
- No keys required on the inside
- Bolt hold back facility on the lock body of the lock
- Provides keyless egress at all times

Product Table




L31634

40mm BL/BL Boxed



L15681

40mm PB/PB Boxed



L19673

40mm PC/PC Boxed



L19672

40mm SC/SC Boxed



L15682

40mm SN/SC Boxed



L31635

60mm BL/BL Boxed



L15683

60mm PB/PB Boxed



L19671

60mm PC/PC Boxed



L19670

60mm SC/SC Boxed



L15684

60mm SN/SC Boxed