




# EVVA A5 DZ Euro Double Cylinder KD



## Description

Keyed to differ cylinder



Supplied With 3 Keys



5 Pin Mechanism



Keyed To Differ



Call For Key Cutting Services



Call For Workshop Services

## Features

- 3 Keys supplied as standard
- Unrestricted key profile
- Dimensions to centre of cam
- 30 minute fire resistance to 821° C
- 'A' section (F section to special order)

## Product Table



### L6155

102mm 51-51 (46-10-46) KD NP



### L6156

102mm 51-51 (46-10-46) KD PB



**L6157**

112mm 56-56 (51-10-51) KD NP




**L6159**

122mm 61-61 (56-10-56) KD NP



**L6145**

54mm 27-27 (22-10-22) KD NP




**L6146**

54mm 27-27 (22-10-22) KD PB



**L6147**

62mm 31-31 (26-10-26) KD NP




**L6148**

62mm 31-31 (26-10-26) KD PB



**L6149**

72mm 36-36 (31-10-31) KD NP




**L6150**

72mm 36-36 (31-10-31) KD PB



**L6151**

82mm 41-41 (36-10-36) KD NP




**L6152**

82mm 41-41 (36-10-36) KD PB



**L6153**

92mm 46-46 (41-10-41) KD NP



**L6154**

92mm 46-46 (41-10-41) KD PB