



## Description

---

The RW Simons FV300 and FV400 trickle vents are part of the Framevent range and are suitable for both timber and UPVC frames. Manufactured in the highest quality UV stabilised PVCu they are durable, easy to fit and fully tested. They feature an integral fly screen in the external hood and are available in a choice of colours.

## Features

---

- Suitable for PVCu, timber and aluminium windows
- Independently acoustically tested in accordance with BS EN 20140-10:1992, ISO 140-10:1991
- Water tightness of 400pa
- Can be fitted to provide up draught or downdraught
- Snap on quick fit end caps
- Integral fly screen in external hood
- Positive open and close action
- Equivalent area as per BS 13141-1:2019: FV300 2328mm<sup>2</sup> EA / FV400 3180mm<sup>2</sup> EA

## Product Table

---



### L33520

FV300 Black



### L33516

FV300 Bright White



### L33517

FV300 Cream



### L33519

FV300 Dark Brown



### L33521

FV300 Grey



### L33515

FV300 Standard White



### L33518

FV300 Tan



### L33527

FV400 Black



### L33523

FV400 Bright White



**L33524**

FV400 Cream



**L33526**

FV400 Dark Brown



**L33528**

FV400 Grey



**L33522**

FV400 Standard White



**L33525**

FV400 Tan